

X5

SLIDING DOOR WOOD



EASY DISTRIBUTION SYSTEM
3 BOX SYSTEM




TECHNICAL INFO

| door thickness | Xinnix system | construction stud wall | minimum finished wall thickness | maximum door size |
|----------------|---------------|------------------------|---------------------------------|-------------------|
| 25 - 40 mm | X5 | Ω 75 | 100 mm | 2100 x 1000 mm |
| 25 - 40 mm | X5D | Ω 75 | 125 mm | 2300 x 1000 mm |
| 40 - 60 mm | X5 | Ω 100 | 125 mm | 2100 x 1000 mm |
| 40 - 60 mm | X5D | Ω 100 | 150 mm | 3000 x 3000 mm |




OPENING CONSTRUCTION STUD WALL





Ww : Width construction wall
 Hw : Height construction wall
 Wp : Width door panel
 Hp : Height door panel

SINGLE – DOUBLE PLATING




FINISH




X5 WOOD : Montage instructions Single door


1 : BEAM + TRACK + BASEPLATE




2 : UPRIGHTS X5 – X5D



3 : FINISH




4 : SINGLE – DOUBLE PLATING




X5 WOOD : Montage instructions Single door : formulas

DOORPANEL




1 : BEAM + TRACK




| mm | W_p | C_1 | C_2 | R_1 | Passage Width |
|------|-------|-------|-------|-------|---------------|
| 2070 | 630 | 400 | 400 | 800 | 600 |
| | 730 | 300 | 300 | 600 | 700 |
| | 830 | 200 | 200 | 400 | 800 |
| | 930 | 100 | 100 | 200 | 900 |
| | 1030 | 0 | 0 | 0 | 1000 |
| 2470 | 1130 | 100 | 100 | 200 | 1100 |
| | 1230 | 0 | 0 | 0 | 1200 |
| 3070 | 1330 | 200 | 200 | 400 | 1300 |
| | 1430 | 100 | 100 | 200 | 1400 |
| | 1530 | 0 | 0 | 0 | 1500 |

2 : UPRIGHTS X5 – X5D




3 : FINISH




X5 WOOD : Montage instructions Double door


1 : BEAMS + TRACKS + BASEPLATES



2 : UPRIGHTS X5 – X5D




3 : SINGLE – DOUBLE PLATING




X5 WOOD : Montage instructions Double door : formulas

DOORPANELS : 2 x




1 : BEAMS + TRACKS




| mm | W_p | C1 | C2 | R1 | Passage Width |
|------|-------|-----|-----|-----|---------------|
| 2070 | 630 | 430 | 400 | 810 | 1200 |
| | 730 | 330 | 300 | 610 | 1400 |
| | 830 | 230 | 200 | 410 | 1600 |
| | 930 | 130 | 100 | 210 | 1800 |
| | 1030 | 30 | 0 | 10 | 2000 |
| 2470 | 1130 | 130 | 100 | 210 | 2200 |
| | 1230 | 30 | 0 | 10 | 2400 |
| 3070 | 1330 | 230 | 200 | 410 | 2600 |
| | 1430 | 130 | 100 | 210 | 2800 |
| | 1530 | 30 | 0 | 10 | 3000 |

2 : UPRIGHTS X5 – X5D



X5 WOOD : Montage instructions : Finish

Single door



Double door

